

Section 1. Chemica	I Product and Comp	pany Identification
--------------------	--------------------	---------------------

Product Name	Product Code
Formalin Solution 10% Neutral Buff. pH 7.0	28600-xxx and NBXXXX
Manufacturer's Name	Emergency Telephone Number
StatLab Medical Products, Inc.	800-424-9300
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Information
407 Interchange st.	800-442-3573
	Date Prepared
McKinney Tx 75071	10/14/2003 Rev(12-2012)
	Signature of Preparer (optional

Section 2. Composition/Information on Ingredients

			Other Limits		
Component	CAS#	OSHA PEL	ACGIH TLV	Recommended	Percent
Formaldehyde	50-00-0	0.75 ppm	$C 0.3 \text{ mg/m}^3$		3-4
Methyl Alcohol	67-56-1	200 ppm	250 ppm		1-1.5
Sodium Phosphate Monobasic	10049-21-5	N/A	N/A		<1
Monohydrate					
Sodium Phosphate Dibasic	7558-79-4	N/A	N/A		<1
Water, Deionized	7732-18-5	N/A	N/A		Balance

Section 3. Hazards Identification

Emergency Overview

Contains Formaldehyde, a suspected carcinogen. Irritating to the eyes, respiratory system and skin. May cause sensitization by inhalation or skin contact. May be fatal if swallowed. If ingested, dilute with water, induce vomiting then call a physician. Wash areas of contact with water. If inhaled, remove to fresh air.

Potential	Health	Effects
1 Ottoritian	Hountin	LIICOLO

Potential Health Effects				
Target Organs	Eyes, skin, respiratory system.			
Eye	Causes irritation, redness and pain.			
Skin	May cause irritation, redness and pain. Frequent or prolonged			
exposure may cause	hypersensitivity leading to contact dermatitis.			
Ingestion	May cause severe abdominal pain, vomiting, headache and diarrhea.			
Inhalation	Causes irritation of respiratory tract. Symptoms may include			
sore throat, coughi	ng and shortness of breath.			
Chronic/Carcinogenicity	IARC-Formaldehyde is probably carcinogenic. NTP-Formaldehyde			
is resonably antici	pated to be a carcinogen. OSHA-Yes (Formaldehyde)			
Teratology	Mutation data cited in "Registry of Toxic Effects of Chemical			
Substances" on Form	naldehyde.			
Reproduction	Reproductive effects cited in "Registry of Toxic Effects			
of Chemical Substan	nces" on Formaldehyde.			
Mutagenicity				





Section 4. First Aid M	easures		
Eye	Irrigate immediately	y with large	e quantity of water for at
least 15 minutes.	Get medical attention	immediately	у.
Skin	Flush with water for	at least 1	15 minutes.
Ingestion	Dilute immediately w	vith water o	or milk. Induce vomiting.
Call a physician.			
Inhalation	Remove to fresh air.	. Give arti	ificial respiration if necessary.
All Other Means of Exposure	CONTACT POISON CONTR	ROL CENTER I	IMMEDIATELY. Be prepared to
provide hazardous	ingredient information	n from Secti	ion 2.
Section 5. Fire Fightin	g Measures		
Flammable Properties	Flash Point 185°	Method	CC
Flammable Limits	Lower N/A	Upper	N/A
Autoignition Temperature			
Hazardous Combustion Prod	lucts Gas vaporizes fr	om solution	and is flammable in air.
Extinguishing Media	Use any means su	itable for e	extinguishing the surrounding
fire. (Water spr	ay, dry chemical, alcol	nol foam, or	r carbon dioxide.)
Fire & Exlosion Hazards	Not considered to	o be a fire	e or explosion hazard.
Fire Fighting Instructions	Use normal proce	dures/instru	uctions.
Fire Fighting Equipment	Use protective c	lothing and	l breathing equipment appropriate
for the surroundi	ng fire.		
Section 6. Accidental	Release Measures		
Ventilate area of	leak or spill. Cover	spill with	1:1:1 mixture of Sodium Carbonate, clay
cat litter and sa	nd. Scoop into contain	ner and tran	nsport to fume hood. Add the
mixture to cold w	ater (about 10 mL water	r for each 1	1 mL of Formaldehyde solution).
Slowly add househ	old bleach (2.5 mL bleach	ach for each	h 1 mL of Formaldehyde solution).
Allow to stand fo	r 20 minutes. Decant	liquid to dr	rain. Flush with water. Treat
solid residue as	normal refuse.		
Section 7. Handling a	nd Storage		
Handling/Storage	Precautions for	safe handlir	ng: Avoid contact with skin and eyes.
Avoid inhalation	of vapour or mist. Kee	ep away from	m sources of ignition - No smoking.
Take measures to	prevent the build up of	f electrosta	atic charge. Conditions for safe storage
Keep container ti	ghtly closed in a dry a	and well-ver	ntilated place. Containers which are
opened must be ca	refully resealed and b	kept upright	t to prevent leakage.



Product Name Formalin Solution 10% Neutral Buff pH 7.0

Section 8. Exposure Cont			<u> </u>				
Engineering Controls	Use of a fume hood is recommended.						
Respiratory Protection	If the exposure level is exceeded, wear a full facepiece						
respirator equipped	with a for	rmaldehyde cai	rtridge.				
Skin Protection	Gloves						
Eye Protection	Safety	glasses or go	oggles.				
Permissible Exposure Levels (s	see also Sectio	on 2)					
Component		CAS#	OSHA PEL	ACGIH TLV	Other Limits Recommended	Percent	
Formaldehyde		50-00-0	0.75 ppm	$C 0.3 \text{ mg/m}^3$		3-4	
Methyl Alcohol		67-56-1	200 ppm	250 ppm		1-1.5	
Sodium Phosphate Mon	obasic	10049-21-5	N/A	N/A		<1	
Monohydrate							
Sodium Phosphate Dib	asic	7558-79-4	N/A	N/A		<1	
Water, Deionized		7732-18-5	N/A	N/A		Balance	
Section 9. Physical and C	hemical Pro	perties					
Boiling Point	ca. 10	00C (ca 212F)	Specific Gravity (H2O = 1)		1.09		
Vapor Pressure (mm Hg)	Sam	e as water	Melting Point		ca. 0C (ca.32F		
Vapor Density (AIR = 1)	Sam	ne as water	Evaporation rate (Butyl Acetate = 1)		Same as water		
Solubility in Water			Physical State		Liqu	ıid	
Appearance and Odor	7 /		Other				
Clear, col		ngent odor		рн: 7.0			
Section 10. Stability and F	Reactivity						
Chemical Stability		Stable und	der normal o	conditions of	use and sto	rage.	
Incompatibility Strong oxi			idizers, strong alkalies, acids, phenol, urea.				
Hazardous Decomposition Produc	cts	May form (Carbon Dioxi	ide, Carbon M	onoxide and		
Formaldehyde when he	ated to de	ecomposition.					
Hazardous Polymerization		Nonhazardo	ous polymeri	ization may o	ccur, formin	g	
paraformaldehyde, a	white sol	id.					
Section 11. Toxological Ir	nformation						
ID Oral Batt (For	maldehyde) 100 mg/kg;	LD ₅₀ , Oral,	Rat: (Sodiu	m Phosphate		
LD_{50} , Olai, Nat. (FOI	_	, 5, 5,					
Diabasic) 17,000 mg/					r than letha	1	





Section 12. Ecological Information

Ecotoxicological Information: Formaldehyde is expected to be slightly toxic to aquatic life.

Chemical Fate Information: Formaldehyde is expected to readily biodegrade when released into water.

Section 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be disposed of in a RCRA approved waste disposal facility. Dispose of in accordance with local, state, and federal regulations.

Section 14. Transport Information

NOTE: It is ultimately the shippers responsibility to make hazard class determination based on their best information available.

Section 15. Regulatory Information

OSHA Status: This item meets the OSHA Hazard Communication Standard (29 CFR 1910.1200) definition of a hazardous material.

TSCA Status: All components of this solution are listed on the TSCA Inventory.

CERCLA Reportable Quantity: Formaldehyde, RQ 100 pounds.

SARA TITLE III:

Section 302 Extremely Hazardous Substances: Formaldehyde TPQ 500 pounds Section 311/312 Hazardous Categories: No

Section 313 Toxic Chemicals: Formaldehyde, 0.1% De Minimus concentration

RCRA Status: No

California Proposition 65: Not listed (Formaldehyde gas is listed)

Florida: Formaldehyde is listed on the state Toxic Substances List.

Pennsylvania: Formaldehyde is listed as an environmental and special hazard on the Hazardous Substances List.

Section 16. Other Information

NFPA Ratings: Health: 2 Flammability: 2 Reactivity: 0 Special Notice Key: None

HMIS® Ratings: Health: *4 Flammability: 2 Reactivity: 0 Protective Equipment: C

(protective eyewear and gloves)

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration to its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and STATLAB MEDICAL PRODUCTS, INC. assumes no legal responsibility or liability whatsoever resulting from its use.