

190.14 - Human Immunodeficiency Virus (HIV) Testing (Diagnosis)

Other Names/Abbreviations

HIV, HIV-1, HIV-2, HIV1/2, HTLV III, Human T-cell lymphotropic virus, AIDS, Acquired immune deficiency syndrome

Description

Diagnosis of Human Immunodeficiency Virus (HIV) infection is primarily made through the use of serologic assays. These assays take one of two forms: antibody detection assays and specific HIV antigen (p24) procedures. The antibody assays are usually enzyme immunoassays (EIA) which are used to confirm exposure of an individual's immune system to specific viral antigens. These assays may be formatted to detect HIV-1, HIV-2, or HIV-1 and 2 simultaneously and to detect both IgM and IgG. When the initial EIA test is repeatedly positive or indeterminate, an alternative test is used to confirm the specificity of the antibodies to individual viral components. The most commonly used method is the Western Blot.

The HIV-1 core antigen (p24) test detects circulating viral antigen which may be found prior to the development of antibodies and may also be present in later stages of illness in the form of recurrent or persistent antigenemia. Its prognostic utility in HIV infection has been diminished as a result of development of sensitive viral RNA assays, and its primary use today is as a routine screening tool in potential blood donors.

In several unique situations, serologic testing alone may not reliably establish an HIV infection. This may occur because the antibody response (particularly the IgG response detected by Western Blot) has not yet developed (that is, acute retroviral syndrome), or is persistently equivocal because of inherent viral antigen variability. It is also an issue in perinatal HIV infection due to transplacental passage of maternal HIV antibody. In these situations, laboratory evidence of HIV in blood by culture, antigen assays, or proviral DNA or viral RNA assays, is required to establish a definitive determination of HIV infection.

HCPSC Codes (Alphanumeric, CPT® AMA)

| Code | Description |
|-------|--|
| 86689 | Qualitative or semiquantitative immunoassays performed by multiple step methods; HTLV or HIV antibody, confirmatory test (for example, Western Blot) |
| 86701 | Antibody; HIV-1 |
| 86702 | Antibody; HIV-2 |
| 86703 | Antibody; HIV-1 and HIV-2, single assay |
| 87390 | Infectious agent antigen detection by enzyme immunoassay technique, qualitative or semiquantitative, multiple step method; HIV-1 |
| 87391 | Infectious agent antigen detection by enzyme immunoassay technique, qualitative or semiquantitative, multiple step method; HIV-2 |
| 87534 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct probe technique |
| 87535 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique |
| 87537 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, direct probe technique |
| 87538 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, amplified probe technique |

ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code | Description |
|-------|---|
| A02.1 | Salmonella sepsis |
| A07.2 | Cryptosporidiosis |
| A07.3 | Isosporiasis |
| A07.8 | Other specified protozoal intestinal diseases |
| A15.0 | Tuberculosis of lung |
| A15.4 | Tuberculosis of intrathoracic lymph nodes |
| A15.5 | Tuberculosis of larynx, trachea and bronchus |
| A15.6 | Tuberculous pleurisy |
| A15.7 | Primary respiratory tuberculosis |
| A15.8 | Other respiratory tuberculosis |
| A15.9 | Respiratory tuberculosis unspecified |
| A17.0 | Tuberculous meningitis |
| A17.1 | Meningeal tuberculoma |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|--|
| A17.81 | Tuberculoma of brain and spinal cord |
| A17.82 | Tuberculous meningoencephalitis |
| A17.83 | Tuberculous neuritis |
| A17.89 | Other tuberculosis of nervous system |
| A17.9 | Tuberculosis of nervous system, unspecified |
| A18.01 | Tuberculosis of spine |
| A18.02 | Tuberculous arthritis of other joints |
| A18.03 | Tuberculosis of other bones |
| A18.09 | Other musculoskeletal tuberculosis |
| A18.10 | Tuberculosis of genitourinary system, unspecified |
| A18.11 | Tuberculosis of kidney and ureter |
| A18.12 | Tuberculosis of bladder |
| A18.13 | Tuberculosis of other urinary organs |
| A18.14 | Tuberculosis of prostate |
| A18.15 | Tuberculosis of other male genital organs |
| A18.16 | Tuberculosis of cervix |
| A18.17 | Tuberculous female pelvic inflammatory disease |
| A18.18 | Tuberculosis of other female genital organs |
| A18.2 | Tuberculous peripheral lymphadenopathy |
| A18.31 | Tuberculous peritonitis |
| A18.32 | Tuberculous enteritis |
| A18.39 | Retroperitoneal tuberculosis |
| A18.4 | Tuberculosis of skin and subcutaneous tissue |
| A18.50 | Tuberculosis of eye, unspecified |
| A18.51 | Tuberculous episcleritis |
| A18.52 | Tuberculous keratitis |
| A18.53 | Tuberculous chorioretinitis |
| A18.54 | Tuberculous iridocyclitis |
| A18.59 | Other tuberculosis of eye |
| A18.6 | Tuberculosis of (inner) (middle) ear |
| A18.7 | Tuberculosis of adrenal glands |
| A18.81 | Tuberculosis of thyroid gland |
| A18.82 | Tuberculosis of other endocrine glands |
| A18.83 | Tuberculosis of digestive tract organs, not elsewhere classified |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|--|
| A18.84 | Tuberculosis of heart |
| A18.85 | Tuberculosis of spleen |
| A18.89 | Tuberculosis of other sites |
| A19.0 | Acute miliary tuberculosis of a single specified site |
| A19.1 | Acute miliary tuberculosis of multiple sites |
| A19.2 | Acute miliary tuberculosis, unspecified |
| A19.8 | Other miliary tuberculosis |
| A19.9 | Miliary tuberculosis, unspecified |
| A28.1 | Cat-scratch disease |
| A31.0 | Pulmonary mycobacterial infection |
| A31.1 | Cutaneous mycobacterial infection |
| A31.2 | Disseminated mycobacterium avium-intracellulare complex (DMAC) |
| A31.8 | Other mycobacterial infections |
| A31.9 | Mycobacterial infection, unspecified |
| A32.0 | Cutaneous listeriosis |
| A32.11 | Listerial meningitis |
| A32.12 | Listerial meningoencephalitis |
| A32.7 | Listerial sepsis |
| A32.81 | Oculoglandular listeriosis |
| A32.82 | Listerial endocarditis |
| A32.89 | Other forms of listeriosis |
| A32.9 | Listeriosis, unspecified |
| A40.3 | Sepsis due to Streptococcus pneumoniae |
| A41.52 | Sepsis due to Pseudomonas |
| A41.54 | Sepsis due to Acinetobacter baumannii |
| A42.0 | Pulmonary actinomycosis |
| A42.1 | Abdominal actinomycosis |
| A42.2 | Cervicofacial actinomycosis |
| A42.81 | Actinomycotic meningitis |
| A42.82 | Actinomycotic encephalitis |
| A42.89 | Other forms of actinomycosis |
| A42.9 | Actinomycosis, unspecified |
| A43.0 | Pulmonary nocardiosis |
| A43.1 | Cutaneous nocardiosis |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|--|
| A43.8 | Other forms of nocardiosis |
| A43.9 | Nocardiosis, unspecified |
| A44.0 | Systemic bartonellosis |
| A44.1 | Cutaneous and mucocutaneous bartonellosis |
| A44.8 | Other forms of bartonellosis |
| A44.9 | Bartonellosis, unspecified |
| A48.1 | Legionnaires' disease |
| A50.01 | Early congenital syphilitic oculopathy |
| A50.02 | Early congenital syphilitic osteochondropathy |
| A50.03 | Early congenital syphilitic pharyngitis |
| A50.04 | Early congenital syphilitic pneumonia |
| A50.05 | Early congenital syphilitic rhinitis |
| A50.06 | Early cutaneous congenital syphilis |
| A50.07 | Early mucocutaneous congenital syphilis |
| A50.08 | Early visceral congenital syphilis |
| A50.09 | Other early congenital syphilis, symptomatic |
| A50.1 | Early congenital syphilis, latent |
| A50.2 | Early congenital syphilis, unspecified |
| A50.30 | Late congenital syphilitic oculopathy, unspecified |
| A50.31 | Late congenital syphilitic interstitial keratitis |
| A50.32 | Late congenital syphilitic chorioretinitis |
| A50.39 | Other late congenital syphilitic oculopathy |
| A50.40 | Late congenital neurosyphilis, unspecified |
| A50.41 | Late congenital syphilitic meningitis |
| A50.42 | Late congenital syphilitic encephalitis |
| A50.43 | Late congenital syphilitic polyneuropathy |
| A50.44 | Late congenital syphilitic optic nerve atrophy |
| A50.45 | Juvenile general paresis |
| A50.49 | Other late congenital neurosyphilis |
| A50.51 | Clutton's joints |
| A50.52 | Hutchinson's teeth |
| A50.53 | Hutchinson's triad |
| A50.54 | Late congenital cardiovascular syphilis |
| A50.55 | Late congenital syphilitic arthropathy |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026

| Code | Description |
|--------|--|
| A50.56 | Late congenital syphilitic osteochondropathy |
| A50.57 | Syphilitic saddle nose |
| A50.59 | Other late congenital syphilis, symptomatic |
| A50.6 | Late congenital syphilis, latent |
| A50.7 | Late congenital syphilis, unspecified |
| A50.9 | Congenital syphilis, unspecified |
| A51.0 | Primary genital syphilis |
| A51.1 | Primary anal syphilis |
| A51.2 | Primary syphilis of other sites |
| A51.31 | Condyloma latum |
| A51.32 | Syphilitic alopecia |
| A51.39 | Other secondary syphilis of skin |
| A51.41 | Secondary syphilitic meningitis |
| A51.42 | Secondary syphilitic female pelvic disease |
| A51.43 | Secondary syphilitic oculopathy |
| A51.44 | Secondary syphilitic nephritis |
| A51.45 | Secondary syphilitic hepatitis |
| A51.46 | Secondary syphilitic osteopathy |
| A51.49 | Other secondary syphilitic conditions |
| A51.5 | Early syphilis, latent |
| A51.9 | Early syphilis, unspecified |
| A52.00 | Cardiovascular syphilis, unspecified |
| A52.01 | Syphilitic aneurysm of aorta |
| A52.02 | Syphilitic aortitis |
| A52.03 | Syphilitic endocarditis |
| A52.04 | Syphilitic cerebral arteritis |
| A52.05 | Other cerebrovascular syphilis |
| A52.06 | Other syphilitic heart involvement |
| A52.09 | Other cardiovascular syphilis |
| A52.10 | Symptomatic neurosyphilis, unspecified |
| A52.11 | Tabes dorsalis |
| A52.12 | Other cerebrospinal syphilis |
| A52.13 | Late syphilitic meningitis |
| A52.14 | Late syphilitic encephalitis |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|---|
| A52.15 | Late syphilitic neuropathy |
| A52.16 | Charcot's arthropathy (tabetic) |
| A52.17 | General paresis |
| A52.19 | Other symptomatic neurosyphilis |
| A52.2 | Asymptomatic neurosyphilis |
| A52.3 | Neurosyphilis, unspecified |
| A52.71 | Late syphilitic oculopathy |
| A52.72 | Syphilis of lung and bronchus |
| A52.73 | Symptomatic late syphilis of other respiratory organs |
| A52.74 | Syphilis of liver and other viscera |
| A52.75 | Syphilis of kidney and ureter |
| A52.76 | Other genitourinary symptomatic late syphilis |
| A52.77 | Syphilis of bone and joint |
| A52.78 | Syphilis of other musculoskeletal tissue |
| A52.79 | Other symptomatic late syphilis |
| A52.8 | Late syphilis, latent |
| A52.9 | Late syphilis, unspecified |
| A53.0 | Latent syphilis, unspecified as early or late |
| A53.9 | Syphilis, unspecified |
| A54.00 | Gonococcal infection of lower genitourinary tract, unspecified |
| A54.01 | Gonococcal cystitis and urethritis, unspecified |
| A54.02 | Gonococcal vulvovaginitis, unspecified |
| A54.03 | Gonococcal cervicitis, unspecified |
| A54.09 | Other gonococcal infection of lower genitourinary tract |
| A54.1 | Gonococcal infection of lower genitourinary tract with periurethral and accessory gland abscess |
| A54.21 | Gonococcal infection of kidney and ureter |
| A54.22 | Gonococcal prostatitis |
| A54.23 | Gonococcal infection of other male genital organs |
| A54.24 | Gonococcal female pelvic inflammatory disease |
| A54.29 | Other gonococcal genitourinary infections |
| A54.30 | Gonococcal infection of eye, unspecified |
| A54.31 | Gonococcal conjunctivitis |
| A54.32 | Gonococcal iridocyclitis |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|--|
| A54.33 | Gonococcal keratitis |
| A54.39 | Other gonococcal eye infection |
| A54.40 | Gonococcal infection of musculoskeletal system, unspecified |
| A54.41 | Gonococcal spondylopathy |
| A54.42 | Gonococcal arthritis |
| A54.43 | Gonococcal osteomyelitis |
| A54.49 | Gonococcal infection of other musculoskeletal tissue |
| A54.5 | Gonococcal pharyngitis |
| A54.6 | Gonococcal infection of anus and rectum |
| A54.81 | Gonococcal meningitis |
| A54.82 | Gonococcal brain abscess |
| A54.83 | Gonococcal heart infection |
| A54.84 | Gonococcal pneumonia |
| A54.85 | Gonococcal peritonitis |
| A54.86 | Gonococcal sepsis |
| A54.89 | Other gonococcal infections |
| A54.9 | Gonococcal infection, unspecified |
| A55 | Chlamydial lymphogranuloma (venereum) |
| A56.00 | Chlamydial infection of lower genitourinary tract, unspecified |
| A56.01 | Chlamydial cystitis and urethritis |
| A56.02 | Chlamydial vulvovaginitis |
| A56.09 | Other chlamydial infection of lower genitourinary tract |
| A56.11 | Chlamydial female pelvic inflammatory disease |
| A56.19 | Other chlamydial genitourinary infection |
| A56.2 | Chlamydial infection of genitourinary tract, unspecified |
| A56.3 | Chlamydial infection of anus and rectum |
| A56.4 | Chlamydial infection of pharynx |
| A56.8 | Sexually transmitted chlamydial infection of other sites |
| A57 | Chancroid |
| A58 | Granuloma inguinale |
| A59.01 | Trichomonal vulvovaginitis |
| A60.00 | Herpesviral infection of urogenital system, unspecified |
| A60.01 | Herpesviral infection of penis |
| A60.02 | Herpesviral infection of other male genital organs |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|---|
| A60.03 | Herpesviral cervicitis |
| A60.04 | Herpesviral vulvovaginitis |
| A60.09 | Herpesviral infection of other urogenital tract |
| A60.1 | Herpesviral infection of perianal skin and rectum |
| A60.9 | Anogenital herpesviral infection, unspecified |
| A63.0 | Anogenital (venereal) warts |
| A63.8 | Other specified predominantly sexually transmitted diseases |
| A64 | Unspecified sexually transmitted disease |
| A74.81 | Chlamydial peritonitis |
| A74.89 | Other chlamydial diseases |
| A74.9 | Chlamydial infection, unspecified |
| A81.2 | Progressive multifocal leukoencephalopathy |
| A85.0 | Enteroviral encephalitis |
| A85.1 | Adenoviral encephalitis |
| A85.8 | Other specified viral encephalitis |
| A86 | Unspecified viral encephalitis |
| A87.1 | Adenoviral meningitis |
| A87.2 | Lymphocytic choriomeningitis |
| A88.8 | Other specified viral infections of central nervous system |
| A89 | Unspecified viral infection of central nervous system |
| B00.0 | Eczema herpeticum |
| B00.1 | Herpesviral vesicular dermatitis |
| B00.2 | Herpesviral gingivostomatitis and pharyngotonsillitis |
| B00.3 | Herpesviral meningitis |
| B00.4 | Herpesviral encephalitis |
| B00.50 | Herpesviral ocular disease, unspecified |
| B00.51 | Herpesviral iridocyclitis |
| B00.52 | Herpesviral keratitis |
| B00.53 | Herpesviral conjunctivitis |
| B00.59 | Other herpesviral disease of eye |
| B00.7 | Disseminated herpesviral disease |
| B00.81 | Herpesviral hepatitis |
| B00.82 | Herpes simplex myelitis |
| B00.89 | Other herpesviral infection |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|---|
| B00.9 | Herpesviral infection, unspecified |
| B01.0 | Varicella meningitis |
| B01.11 | Varicella encephalitis and encephalomyelitis |
| B01.12 | Varicella myelitis |
| B01.2 | Varicella pneumonia |
| B01.81 | Varicella keratitis |
| B01.89 | Other varicella complications |
| B02.0 | Zoster encephalitis |
| B02.1 | Zoster meningitis |
| B02.21 | Postherpetic geniculate ganglionitis |
| B02.22 | Postherpetic trigeminal neuralgia |
| B02.23 | Postherpetic polyneuropathy |
| B02.24 | Postherpetic myelitis |
| B02.29 | Other postherpetic nervous system involvement |
| B02.30 | Zoster ocular disease, unspecified |
| B02.31 | Zoster conjunctivitis |
| B02.32 | Zoster iridocyclitis |
| B02.33 | Zoster keratitis |
| B02.34 | Zoster scleritis |
| B02.39 | Other herpes zoster eye disease |
| B02.7 | Disseminated zoster |
| B02.8 | Zoster with other complications |
| B02.9 | Zoster without complications |
| B05.0 | Measles complicated by encephalitis |
| B05.1 | Measles complicated by meningitis |
| B05.2 | Measles complicated by pneumonia |
| B05.3 | Measles complicated by otitis media |
| B05.4 | Measles with intestinal complications |
| B05.81 | Measles keratitis and keratoconjunctivitis |
| B05.89 | Other measles complications |
| B07.0 | Plantar wart |
| B07.8 | Other viral warts |
| B07.9 | Viral wart, unspecified |
| B08.1 | Molluscum contagiosum |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026

| Code | Description |
|--------|--|
| B16.0 | Acute hepatitis B with delta-agent with hepatic coma |
| B16.1 | Acute hepatitis B with delta-agent without hepatic coma |
| B16.2 | Acute hepatitis B without delta-agent with hepatic coma |
| B16.9 | Acute hepatitis B without delta-agent and without hepatic coma |
| B17.0 | Acute delta-(super) infection of hepatitis B carrier |
| B17.10 | Acute hepatitis C without hepatic coma |
| B17.11 | Acute hepatitis C with hepatic coma |
| B17.8 | Other specified acute viral hepatitis |
| B17.9 | Acute viral hepatitis, unspecified |
| B18.0 | Chronic viral hepatitis B with delta-agent |
| B18.1 | Chronic viral hepatitis B without delta-agent |
| B18.2 | Chronic viral hepatitis C |
| B18.8 | Other chronic viral hepatitis |
| B18.9 | Chronic viral hepatitis, unspecified |
| B19.0 | Unspecified viral hepatitis with hepatic coma |
| B19.10 | Unspecified viral hepatitis B without hepatic coma |
| B19.11 | Unspecified viral hepatitis B with hepatic coma |
| B19.20 | Unspecified viral hepatitis C without hepatic coma |
| B19.21 | Unspecified viral hepatitis C with hepatic coma |
| B19.9 | Unspecified viral hepatitis without hepatic coma |
| B20 | Human immunodeficiency virus [HIV] disease |
| B25.0 | Cytomegaloviral pneumonitis |
| B25.1 | Cytomegaloviral hepatitis |
| B25.2 | Cytomegaloviral pancreatitis |
| B25.8 | Other cytomegaloviral diseases |
| B25.9 | Cytomegaloviral disease, unspecified |
| B33.3 | Retrovirus infections, not elsewhere classified |
| B34.3 | Parvovirus infection, unspecified |
| B35.1 | Tinea unguium |
| B36.0 | Pityriasis versicolor |
| B37.0 | Candidal stomatitis |
| B37.1 | Pulmonary candidiasis |
| B37.2 | Candidiasis of skin and nail |
| B37.31 | Acute candidiasis of vulva and vagina |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|---|
| B37.32 | Chronic candidiasis of vulva and vagina |
| B37.41 | Candidal cystitis and urethritis |
| B37.42 | Candidal balanitis |
| B37.49 | Other urogenital candidiasis |
| B37.5 | Candidal meningitis |
| B37.6 | Candidal endocarditis |
| B37.7 | Candidal sepsis |
| B37.81 | Candidal esophagitis |
| B37.82 | Candidal enteritis |
| B37.83 | Candidal cheilitis |
| B37.84 | Candidal otitis externa |
| B37.89 | Other sites of candidiasis |
| B37.9 | Candidiasis, unspecified |
| B38.0 | Acute pulmonary coccidioidomycosis |
| B38.1 | Chronic pulmonary coccidioidomycosis |
| B38.2 | Pulmonary coccidioidomycosis, unspecified |
| B38.3 | Cutaneous coccidioidomycosis |
| B38.4 | Coccidioidomycosis meningitis |
| B38.7 | Disseminated coccidioidomycosis |
| B38.81 | Prostatic coccidioidomycosis |
| B38.89 | Other forms of coccidioidomycosis |
| B38.9 | Coccidioidomycosis, unspecified |
| B39.0 | Acute pulmonary histoplasmosis capsulati |
| B39.1 | Chronic pulmonary histoplasmosis capsulati |
| B39.2 | Pulmonary histoplasmosis capsulati, unspecified |
| B39.3 | Disseminated histoplasmosis capsulati |
| B39.4 | Histoplasmosis capsulati, unspecified |
| B39.5 | Histoplasmosis duboisii |
| B39.9 | Histoplasmosis, unspecified |
| B40.0 | Acute pulmonary blastomycosis |
| B40.1 | Chronic pulmonary blastomycosis |
| B40.2 | Pulmonary blastomycosis, unspecified |
| B40.3 | Cutaneous blastomycosis |
| B40.7 | Disseminated blastomycosis |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026

| Code | Description |
|--------|---------------------------------------|
| B40.81 | Blastomycotic meningoencephalitis |
| B40.89 | Other forms of blastomycosis |
| B40.9 | Blastomycosis, unspecified |
| B41.0 | Pulmonary paracoccidioidomycosis |
| B41.7 | Disseminated paracoccidioidomycosis |
| B41.8 | Other forms of paracoccidioidomycosis |
| B41.9 | Paracoccidioidomycosis, unspecified |
| B44.0 | Invasive pulmonary aspergillosis |
| B44.1 | Other pulmonary aspergillosis |
| B44.2 | Tonsillar aspergillosis |
| B44.7 | Disseminated aspergillosis |
| B44.89 | Other forms of aspergillosis |
| B44.9 | Aspergillosis, unspecified |
| B45.0 | Pulmonary cryptococcosis |
| B45.1 | Cerebral cryptococcosis |
| B45.2 | Cutaneous cryptococcosis |
| B45.3 | Osseous cryptococcosis |
| B45.7 | Disseminated cryptococcosis |
| B45.8 | Other forms of cryptococcosis |
| B45.9 | Cryptococcosis, unspecified |
| B47.1 | Actinomycetoma |
| B47.9 | Mycetoma, unspecified |
| B48.0 | Lobomycosis |
| B48.4 | Penicillosis |
| B48.8 | Other specified mycoses |
| B55.0 | Visceral leishmaniasis |
| B55.1 | Cutaneous leishmaniasis |
| B55.2 | Mucocutaneous leishmaniasis |
| B55.9 | Leishmaniasis, unspecified |
| B58.00 | Toxoplasma oculopathy, unspecified |
| B58.01 | Toxoplasma chorioretinitis |
| B58.09 | Other toxoplasma oculopathy |
| B58.1 | Toxoplasma hepatitis |
| B58.2 | Toxoplasma meningoencephalitis |

| Code | Description |
|--------|--|
| B58.3 | Pulmonary toxoplasmosis |
| B58.81 | Toxoplasma myocarditis |
| B58.82 | Toxoplasma myositis |
| B58.83 | Toxoplasma tubulo-interstitial nephropathy |
| B58.89 | Toxoplasmosis with other organ involvement |
| B58.9 | Toxoplasmosis, unspecified |
| B59 | Pneumocystosis |
| B60.10 | Acanthamebiasis, unspecified |
| B60.11 | Meningoencephalitis due to Acanthamoeba (culbertsoni) |
| B60.12 | Conjunctivitis due to Acanthamoeba |
| B60.13 | Keratoconjunctivitis due to Acanthamoeba |
| B60.19 | Other acanthamebic disease |
| B60.2 | Naegleriasis |
| B60.8 | Other specified protozoal diseases |
| B78.0 | Intestinal strongyloidiasis |
| B78.7 | Disseminated strongyloidiasis |
| B78.9 | Strongyloidiasis, unspecified |
| B85.3 | Phthiriasis |
| B86 | Scabies |
| B96.5 | Pseudomonas (aeruginosa) (mallei) (pseudomallei) as the cause of diseases classified elsewhere |
| B97.30 | Unspecified retrovirus as the cause of diseases classified elsewhere |
| B97.31 | Lentivirus as the cause of diseases classified elsewhere |
| B97.32 | Oncovirus as the cause of diseases classified elsewhere |
| B97.33 | Human T-cell lymphotropic virus, type I [HTLV-I] as the cause of diseases classified elsewhere |
| B97.34 | Human T-cell lymphotropic virus, type II [HTLV-II] as the cause of diseases classified elsewhere |
| B97.35 | Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere |
| B97.39 | Other retrovirus as the cause of diseases classified elsewhere |
| B99.8 | Other infectious disease |
| C46.0 | Kaposi's sarcoma of skin |
| C46.1 | Kaposi's sarcoma of soft tissue |
| C46.2 | Kaposi's sarcoma of palate |

| Code | Description |
|--------|--|
| C46.3 | Kaposi's sarcoma of lymph nodes |
| C46.4 | Kaposi's sarcoma of gastrointestinal sites |
| C46.50 | Kaposi's sarcoma of unspecified lung |
| C46.51 | Kaposi's sarcoma of right lung |
| C46.52 | Kaposi's sarcoma of left lung |
| C46.7 | Kaposi's sarcoma of other sites |
| C46.9 | Kaposi's sarcoma, unspecified |
| C53.0 | Malignant neoplasm of endocervix |
| C53.1 | Malignant neoplasm of exocervix |
| C53.8 | Malignant neoplasm of overlapping sites of cervix uteri |
| C53.9 | Malignant neoplasm of cervix uteri, unspecified |
| C81.00 | Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site |
| C81.01 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.02 | Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.03 | Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.04 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.05 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.06 | Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.07 | Nodular lymphocyte predominant Hodgkin lymphoma, spleen |
| C81.08 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.09 | Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites |
| C81.0A | Nodular lymphocyte predominant Hodgkin lymphoma, in remission |
| C81.10 | Nodular sclerosis Hodgkin lymphoma, unspecified site |
| C81.11 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.12 | Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.13 | Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.14 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.15 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.16 | Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.17 | Nodular sclerosis Hodgkin lymphoma, spleen |
| C81.18 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.19 | Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites |

| Code | Description |
|--------|---|
| C81.1A | Nodular sclerosis Hodgkin lymphoma, in remission |
| C81.20 | Mixed cellularity Hodgkin lymphoma, unspecified site |
| C81.21 | Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.22 | Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.23 | Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.24 | Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.25 | Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.26 | Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.27 | Mixed cellularity Hodgkin lymphoma, spleen |
| C81.28 | Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.29 | Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites |
| C81.2A | Mixed cellularity Hodgkin lymphoma, in remission |
| C81.30 | Lymphocyte depleted Hodgkin lymphoma, unspecified site |
| C81.31 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.32 | Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.33 | Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.34 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.35 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.36 | Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.37 | Lymphocyte depleted Hodgkin lymphoma, spleen |
| C81.38 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.39 | Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites |
| C81.3A | Lymphocyte depleted Hodgkin lymphoma, in remission |
| C81.40 | Lymphocyte-rich Hodgkin lymphoma, unspecified site |
| C81.41 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.42 | Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.43 | Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.44 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.45 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.46 | Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.47 | Lymphocyte-rich Hodgkin lymphoma, spleen |
| C81.48 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.49 | Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites |
| C81.4A | Lymphocyte-rich Hodgkin lymphoma, in remission |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|--|
| C81.70 | Other Hodgkin lymphoma, unspecified site |
| C81.71 | Other Hodgkin lymphoma, lymph nodes of head, face, and neck |
| C81.72 | Other Hodgkin lymphoma, intrathoracic lymph nodes |
| C81.73 | Other Hodgkin lymphoma, intra-abdominal lymph nodes |
| C81.74 | Other Hodgkin lymphoma, lymph nodes of axilla and upper limb |
| C81.75 | Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.76 | Other Hodgkin lymphoma, intrapelvic lymph nodes |
| C81.77 | Other Hodgkin lymphoma, spleen |
| C81.78 | Other Hodgkin lymphoma, lymph nodes of multiple sites |
| C81.79 | Other Hodgkin lymphoma, extranodal and solid organ sites |
| C81.7A | Other Hodgkin lymphoma, in remission |
| C81.90 | Hodgkin lymphoma, unspecified, unspecified site |
| C81.91 | Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck |
| C81.92 | Hodgkin lymphoma, unspecified, intrathoracic lymph nodes |
| C81.93 | Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes |
| C81.94 | Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb |
| C81.95 | Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C81.96 | Hodgkin lymphoma, unspecified, intrapelvic lymph nodes |
| C81.97 | Hodgkin lymphoma, unspecified, spleen |
| C81.98 | Hodgkin lymphoma, unspecified, lymph nodes of multiple sites |
| C81.99 | Hodgkin lymphoma, unspecified, extranodal and solid organ sites |
| C83.00 | Small cell B-cell lymphoma, unspecified site |
| C83.01 | Small cell B-cell lymphoma, lymph nodes of head, face, and neck |
| C83.02 | Small cell B-cell lymphoma, intrathoracic lymph nodes |
| C83.03 | Small cell B-cell lymphoma, intra-abdominal lymph nodes |
| C83.04 | Small cell B-cell lymphoma, lymph nodes of axilla and upper limb |
| C83.05 | Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.06 | Small cell B-cell lymphoma, intrapelvic lymph nodes |
| C83.07 | Small cell B-cell lymphoma, spleen |
| C83.08 | Small cell B-cell lymphoma, lymph nodes of multiple sites |
| C83.09 | Small cell B-cell lymphoma, extranodal and solid organ sites |
| C83.0A | Small cell B-cell lymphoma, in remission |
| C83.70 | Burkitt lymphoma, unspecified site |
| C83.71 | Burkitt lymphoma, lymph nodes of head, face, and neck |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026

| Code | Description |
|--------|---|
| C83.72 | Burkitt lymphoma, intrathoracic lymph nodes |
| C83.73 | Burkitt lymphoma, intra-abdominal lymph nodes |
| C83.74 | Burkitt lymphoma, lymph nodes of axilla and upper limb |
| C83.75 | Burkitt lymphoma, lymph nodes of inguinal region and lower limb |
| C83.76 | Burkitt lymphoma, intrapelvic lymph nodes |
| C83.77 | Burkitt lymphoma, spleen |
| C83.78 | Burkitt lymphoma, lymph nodes of multiple sites |
| C83.79 | Burkitt lymphoma, extranodal and solid organ sites |
| C83.7A | Burkitt lymphoma, in remission |
| C83.80 | Other non-follicular lymphoma, unspecified site |
| C83.81 | Other non-follicular lymphoma, lymph nodes of head, face, and neck |
| C83.82 | Other non-follicular lymphoma, intrathoracic lymph nodes |
| C83.83 | Other non-follicular lymphoma, intra-abdominal lymph nodes |
| C83.84 | Other non-follicular lymphoma, lymph nodes of axilla and upper limb |
| C83.85 | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C83.86 | Other non-follicular lymphoma, intrapelvic lymph nodes |
| C83.87 | Other non-follicular lymphoma, spleen |
| C83.88 | Other non-follicular lymphoma, lymph nodes of multiple sites |
| C83.89 | Other non-follicular lymphoma, extranodal and solid organ sites |
| C83.8A | Other non-follicular lymphoma, in remission |
| C83.90 | Non-follicular (diffuse) lymphoma, unspecified, unspecified site |
| C83.91 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck |
| C83.92 | Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes |
| C83.93 | Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes |
| C83.94 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb |
| C83.95 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C83.96 | Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes |
| C83.97 | Non-follicular (diffuse) lymphoma, unspecified, spleen |
| C83.98 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites |
| C83.99 | Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites |
| C83.9A | Non-follicular (diffuse) lymphoma, unspecified, in remission |
| C86.50 | Angioimmunoblastic T-cell lymphoma not having achieved remission |
| C86.51 | Angioimmunoblastic T-cell lymphoma, in remission |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| C86.60 | Primary cutaneous CD30-positive T-cell proliferations not having achieved remission |
| C86.61 | Primary cutaneous CD30-positive T-cell proliferations, in remission |
| D47.Z2 | Castleman disease |
| D50.0 | Iron deficiency anemia secondary to blood loss (chronic) |
| D50.1 | Sideropenic dysphagia |
| D50.8 | Other iron deficiency anemias |
| D50.9 | Iron deficiency anemia, unspecified |
| D59.30 | Hemolytic-uremic syndrome, unspecified |
| D59.31 | Infection-associated hemolytic-uremic syndrome |
| D59.32 | Hereditary hemolytic-uremic syndrome |
| D59.39 | Other hemolytic-uremic syndrome |
| D64.9 | Anemia, unspecified |
| D69.3 | Immune thrombocytopenic purpura |
| D69.41 | Evans syndrome |
| D69.42 | Congenital and hereditary thrombocytopenia purpura |
| D69.49 | Other primary thrombocytopenia |
| D69.6 | Thrombocytopenia, unspecified |
| D70.0 | Congenital agranulocytosis |
| D70.1 | Agranulocytosis secondary to cancer chemotherapy |
| D70.2 | Other drug-induced agranulocytosis |
| D70.3 | Neutropenia due to infection |
| D70.4 | Cyclic neutropenia |
| D70.8 | Other neutropenia |
| D70.9 | Neutropenia, unspecified |
| D72.810 | Lymphocytopenia |
| D72.818 | Other decreased white blood cell count |
| D72.819 | Decreased white blood cell count, unspecified |
| D72.820 | Lymphocytosis (symptomatic) |
| D72.821 | Monocytosis (symptomatic) |
| D72.822 | Plasmacytosis |
| D72.823 | Leukemoid reaction |
| D72.824 | Basophilia |
| D72.825 | Bandemia |
| D72.828 | Other elevated white blood cell count |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026

| Code | Description |
|---------|---|
| D72.829 | Elevated white blood cell count, unspecified |
| D72.89 | Other specified disorders of white blood cells |
| D73.81 | Neutropenic splenomegaly |
| D76.1 | Hemophagocytic lymphohistiocytosis |
| D76.2 | Hemophagocytic syndrome, infection-associated |
| D76.3 | Other histiocytosis syndromes |
| D89.2 | Hypergammaglobulinemia, unspecified |
| D89.831 | Cytokine release syndrome, grade 1 |
| D89.832 | Cytokine release syndrome, grade 2 |
| D89.833 | Cytokine release syndrome, grade 3 |
| D89.834 | Cytokine release syndrome, grade 4 |
| D89.835 | Cytokine release syndrome, grade 5 |
| D89.839 | Cytokine release syndrome, grade unspecified |
| E27.1 | Primary adrenocortical insufficiency |
| E29.0 | Testicular hyperfunction |
| E43 | Unspecified severe protein-calorie malnutrition |
| E44.0 | Moderate protein-calorie malnutrition |
| E44.1 | Mild protein-calorie malnutrition |
| E46 | Unspecified protein-calorie malnutrition |
| E64.0 | Sequelae of protein-calorie malnutrition |
| E88.10 | Lipodystrophy, unspecified |
| E88.11 | Partial lipodystrophy |
| E88.12 | Generalized lipodystrophy |
| E88.13 | Localized lipodystrophy |
| E88.14 | HIV-associated lipodystrophy |
| E88.19 | Other lipodystrophy, not elsewhere classified |
| F06.1 | Catatonic disorder due to known physiological condition |
| F06.8 | Other specified mental disorders due to known physiological condition |
| F07.0 | Personality change due to known physiological condition |
| F11.11 | Opioid abuse, in remission |
| F11.13 | Opioid abuse with withdrawal |
| F12.13 | Cannabis abuse with withdrawal |
| F12.23 | Cannabis dependence with withdrawal |
| F12.91 | Cannabis use, unspecified, in remission |

| Code | Description |
|--------|--|
| F12.93 | Cannabis use, unspecified with withdrawal |
| F14.11 | Cocaine abuse, in remission |
| F14.13 | Cocaine abuse, unspecified with withdrawal |
| F14.91 | Cocaine use, unspecified, in remission |
| F14.93 | Cocaine use, unspecified with withdrawal |
| F15.11 | Other stimulant abuse, in remission |
| F15.13 | Other stimulant abuse with withdrawal |
| G03.1 | Chronic meningitis |
| G12.23 | Primary lateral sclerosis |
| G31.09 | Other frontotemporal neurocognitive disorder |
| G31.84 | Mild cognitive impairment of uncertain or unknown etiology |
| G56.00 | Carpal tunnel syndrome, unspecified upper limb |
| G56.01 | Carpal tunnel syndrome, right upper limb |
| G56.02 | Carpal tunnel syndrome, left upper limb |
| G56.10 | Other lesions of median nerve, unspecified upper limb |
| G56.11 | Other lesions of median nerve, right upper limb |
| G56.12 | Other lesions of median nerve, left upper limb |
| G56.20 | Lesion of ulnar nerve, unspecified upper limb |
| G56.21 | Lesion of ulnar nerve, right upper limb |
| G56.22 | Lesion of ulnar nerve, left upper limb |
| G56.30 | Lesion of radial nerve, unspecified upper limb |
| G56.31 | Lesion of radial nerve, right upper limb |
| G56.32 | Lesion of radial nerve, left upper limb |
| G56.40 | Causalgia of unspecified upper limb |
| G56.41 | Causalgia of right upper limb |
| G56.42 | Causalgia of left upper limb |
| G56.80 | Other specified mononeuropathies of unspecified upper limb |
| G56.81 | Other specified mononeuropathies of right upper limb |
| G56.82 | Other specified mononeuropathies of left upper limb |
| G56.90 | Unspecified mononeuropathy of unspecified upper limb |
| G56.91 | Unspecified mononeuropathy of right upper limb |
| G56.92 | Unspecified mononeuropathy of left upper limb |
| G58.0 | Intercostal neuropathy |
| G58.7 | Mononeuritis multiplex |

| Code | Description |
|---------|---|
| G60.8 | Other hereditary and idiopathic neuropathies |
| G62.9 | Polyneuropathy, unspecified |
| G93.31 | Postviral fatigue syndrome |
| G93.32 | Myalgic encephalomyelitis/chronic fatigue syndrome |
| G93.39 | Other post infection and related fatigue syndromes |
| G93.40 | Encephalopathy, unspecified |
| G93.42 | Megalencephalic leukoencephalopathy with subcortical cysts |
| G93.43 | Leukoencephalopathy with calcifications and cysts |
| G93.44 | Adult-onset leukodystrophy with axonal spheroids |
| G93.45 | Developmental and epileptic encephalopathy |
| G93.49 | Other encephalopathy |
| G95.20 | Unspecified cord compression |
| G95.29 | Other cord compression |
| G95.9 | Disease of spinal cord, unspecified |
| H10.821 | Rosacea conjunctivitis, right eye |
| H10.822 | Rosacea conjunctivitis, left eye |
| H10.823 | Rosacea conjunctivitis, bilateral |
| H30.891 | Other chorioretinal inflammations, right eye |
| H30.892 | Other chorioretinal inflammations, left eye |
| H30.893 | Other chorioretinal inflammations, bilateral |
| H30.899 | Other chorioretinal inflammations, unspecified eye |
| H30.90 | Unspecified chorioretinal inflammation, unspecified eye |
| H30.91 | Unspecified chorioretinal inflammation, right eye |
| H30.92 | Unspecified chorioretinal inflammation, left eye |
| H30.93 | Unspecified chorioretinal inflammation, bilateral |
| I21.9 | Acute myocardial infarction, unspecified |
| I21.A1 | Myocardial infarction type 2 |
| I21.A9 | Other myocardial infarction type |
| I21.B | Myocardial infarction with coronary microvascular dysfunction |
| I42.0 | Dilated cardiomyopathy |
| I42.5 | Other restrictive cardiomyopathy |
| I42.8 | Other cardiomyopathies |
| I42.9 | Cardiomyopathy, unspecified |
| I67.3 | Progressive vascular leukoencephalopathy |

| Code | Description |
|---------|--|
| I67.83 | Posterior reversible encephalopathy syndrome |
| I67.850 | Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy |
| I67.858 | Other hereditary cerebrovascular disease |
| J13 | Pneumonia due to Streptococcus pneumoniae |
| J14 | Pneumonia due to Hemophilus influenzae |
| J15.0 | Pneumonia due to Klebsiella pneumoniae |
| J15.1 | Pneumonia due to Pseudomonas |
| J15.20 | Pneumonia due to staphylococcus, unspecified |
| J15.211 | Pneumonia due to Methicillin susceptible Staphylococcus aureus |
| J15.212 | Pneumonia due to Methicillin resistant Staphylococcus aureus |
| J15.29 | Pneumonia due to other staphylococcus |
| J15.3 | Pneumonia due to streptococcus, group B |
| J15.4 | Pneumonia due to other streptococci |
| J15.5 | Pneumonia due to Escherichia coli |
| J15.61 | Pneumonia due to Acinetobacter baumannii |
| J15.69 | Pneumonia due to other Gram-negative bacteria |
| J15.8 | Pneumonia due to other specified bacteria |
| J15.9 | Unspecified bacterial pneumonia |
| J18.1 | Lobar pneumonia, unspecified organism |
| J18.8 | Other pneumonia, unspecified organism |
| J18.9 | Pneumonia, unspecified organism |
| J32.0 | Chronic maxillary sinusitis |
| J32.1 | Chronic frontal sinusitis |
| J32.2 | Chronic ethmoidal sinusitis |
| J32.3 | Chronic sphenoidal sinusitis |
| J32.4 | Chronic pansinusitis |
| J32.8 | Other chronic sinusitis |
| J32.9 | Chronic sinusitis, unspecified |
| J84.09 | Other alveolar and parieto-alveolar conditions |
| J93.11 | Primary spontaneous pneumothorax |
| J93.12 | Secondary spontaneous pneumothorax |
| J93.81 | Chronic pneumothorax |
| K12.0 | Recurrent oral aphthae |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-----------------|--|
| K12.2 | Cellulitis and abscess of mouth |
| K13.21 | Leukoplakia of oral mucosa, including tongue |
| K13.3 | Hairy leukoplakia |
| K22.10 | Ulcer of esophagus without bleeding |
| K22.11 | Ulcer of esophagus with bleeding |
| K22.70 | Barrett's esophagus without dysplasia |
| K22.710 | Barrett's esophagus with low grade dysplasia |
| K22.711 | Barrett's esophagus with high grade dysplasia |
| K22.719 | Barrett's esophagus with dysplasia, unspecified |
| K52.3 | Indeterminate colitis |
| K52.831 | Collagenous colitis |
| K52.832 | Lymphocytic colitis |
| K52.838 | Other microscopic colitis |
| K52.839 | Microscopic colitis, unspecified |
| L02.01 | Cutaneous abscess of face |
| L02.11 | Cutaneous abscess of neck |
| L02.211 | Cutaneous abscess of abdominal wall |
| L02.212 | Cutaneous abscess of back [any part, except buttock and flank] |
| L02.213 | Cutaneous abscess of chest wall |
| L02.214 | Cutaneous abscess of groin |
| L02.215 | Cutaneous abscess of perineum |
| L02.216 | Cutaneous abscess of umbilicus |
| *L02.217 | *Cutaneous abscess of flank |
| L02.219 | Cutaneous abscess of trunk, unspecified |
| L02.31 | Cutaneous abscess of buttock |
| L02.411 | Cutaneous abscess of right axilla |
| L02.412 | Cutaneous abscess of left axilla |
| L02.413 | Cutaneous abscess of right upper limb |
| L02.414 | Cutaneous abscess of left upper limb |
| L02.415 | Cutaneous abscess of right lower limb |
| L02.416 | Cutaneous abscess of left lower limb |
| L02.419 | Cutaneous abscess of limb, unspecified |
| L02.511 | Cutaneous abscess of right hand |
| L02.512 | Cutaneous abscess of left hand |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026

| Code | Description |
|---------|---|
| L02.519 | Cutaneous abscess of unspecified hand |
| L02.611 | Cutaneous abscess of right foot |
| L02.612 | Cutaneous abscess of left foot |
| L02.619 | Cutaneous abscess of unspecified foot |
| L02.811 | Cutaneous abscess of head [any part, except face] |
| L02.818 | Cutaneous abscess of other sites |
| L02.91 | Cutaneous abscess, unspecified |
| L03.111 | Cellulitis of right axilla |
| L03.112 | Cellulitis of left axilla |
| L03.113 | Cellulitis of right upper limb |
| L03.114 | Cellulitis of left upper limb |
| L03.115 | Cellulitis of right lower limb |
| L03.116 | Cellulitis of left lower limb |
| L03.119 | Cellulitis of unspecified part of limb |
| L03.121 | Acute lymphangitis of right axilla |
| L03.122 | Acute lymphangitis of left axilla |
| L03.123 | Acute lymphangitis of right upper limb |
| L03.124 | Acute lymphangitis of left upper limb |
| L03.125 | Acute lymphangitis of right lower limb |
| L03.126 | Acute lymphangitis of left lower limb |
| L03.129 | Acute lymphangitis of unspecified part of limb |
| L03.211 | Cellulitis of face |
| L03.212 | Acute lymphangitis of face |
| L03.213 | Periorbital cellulitis |
| L03.221 | Cellulitis of neck |
| L03.222 | Acute lymphangitis of neck |
| L03.311 | Cellulitis of abdominal wall |
| L03.312 | Cellulitis of back [any part except buttock] |
| L03.313 | Cellulitis of chest wall |
| L03.314 | Cellulitis of groin |
| L03.315 | Cellulitis of perineum |
| L03.316 | Cellulitis of umbilicus |
| L03.317 | Cellulitis of buttock |
| L03.319 | Cellulitis of trunk, unspecified |

| Code | Description |
|-----------------|--|
| *L03.31A | *Cellulitis of flank |
| L03.321 | Acute lymphangitis of abdominal wall |
| L03.322 | Acute lymphangitis of back [any part except buttock] |
| L03.323 | Acute lymphangitis of chest wall |
| L03.324 | Acute lymphangitis of groin |
| L03.325 | Acute lymphangitis of perineum |
| L03.326 | Acute lymphangitis of umbilicus |
| L03.327 | Acute lymphangitis of buttock |
| L03.329 | Acute lymphangitis of trunk, unspecified |
| *L03.32A | *Acute lymphangitis of flank |
| L03.811 | Cellulitis of head [any part, except face] |
| L03.818 | Cellulitis of other sites |
| L03.891 | Acute lymphangitis of head [any part, except face] |
| L03.898 | Acute lymphangitis of other sites |
| L03.90 | Cellulitis, unspecified |
| L03.91 | Acute lymphangitis, unspecified |
| L08.1 | Erythrasma |
| L20.83 | Infantile (acute) (chronic) eczema |
| L21.0 | Seborrhea capitis |
| L21.1 | Seborrheic infantile dermatitis |
| L21.8 | Other seborrheic dermatitis |
| L21.9 | Seborrheic dermatitis, unspecified |
| L28.0 | Lichen simplex chronicus |
| L28.1 | Prurigo nodularis |
| L40.0 | Psoriasis vulgaris |
| L40.1 | Generalized pustular psoriasis |
| L40.2 | Acrodermatitis continua |
| L40.3 | Pustulosis palmaris et plantaris |
| L40.4 | Guttate psoriasis |
| L40.8 | Other psoriasis |
| L40.9 | Psoriasis, unspecified |
| L66.3 | Perifolliculitis capitis abscedens |
| L70.0 | Acne vulgaris |
| L70.1 | Acne conglobata |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|--|
| L70.2 | Acne varioliformis |
| L70.3 | Acne tropica |
| L70.4 | Infantile acne |
| L70.5 | Acne excoriee |
| L70.8 | Other acne |
| L70.9 | Acne, unspecified |
| L72.0 | Epidermal cyst |
| L72.2 | Steatocystoma multiplex |
| L72.3 | Sebaceous cyst |
| L72.8 | Other follicular cysts of the skin and subcutaneous tissue |
| L72.9 | Follicular cyst of the skin and subcutaneous tissue, unspecified |
| L73.0 | Acne keloid |
| L73.1 | Pseudofolliculitis barbae |
| L73.8 | Other specified follicular disorders |
| L73.9 | Follicular disorder, unspecified |
| L85.3 | Xerosis cutis |
| L98.3 | Eosinophilic cellulitis [Wells] |
| M02.30 | Reiter's disease, unspecified site |
| M02.311 | Reiter's disease, right shoulder |
| M02.312 | Reiter's disease, left shoulder |
| M02.319 | Reiter's disease, unspecified shoulder |
| M02.321 | Reiter's disease, right elbow |
| M02.322 | Reiter's disease, left elbow |
| M02.329 | Reiter's disease, unspecified elbow |
| M02.331 | Reiter's disease, right wrist |
| M02.332 | Reiter's disease, left wrist |
| M02.339 | Reiter's disease, unspecified wrist |
| M02.341 | Reiter's disease, right hand |
| M02.342 | Reiter's disease, left hand |
| M02.349 | Reiter's disease, unspecified hand |
| M02.351 | Reiter's disease, right hip |
| M02.352 | Reiter's disease, left hip |
| M02.359 | Reiter's disease, unspecified hip |
| M02.361 | Reiter's disease, right knee |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026

| Code | Description |
|---------------|--|
| M02.362 | Reiter's disease, left knee |
| M02.369 | Reiter's disease, unspecified knee |
| M02.371 | Reiter's disease, right ankle and foot |
| M02.372 | Reiter's disease, left ankle and foot |
| M02.379 | Reiter's disease, unspecified ankle and foot |
| M02.38 | Reiter's disease, vertebrae |
| M02.39 | Reiter's disease, multiple sites |
| M04.1 | Periodic fever syndromes |
| M31.10 | Thrombotic microangiopathy, unspecified |
| M31.11 | Hematopoietic stem cell transplantation-associated thrombotic microangiopathy [HSCT-TMA] |
| M31.19 | Other thrombotic microangiopathy |
| M33.03 | Juvenile dermatomyositis without myopathy |
| M33.13 | Other dermatomyositis without myopathy |
| M33.93 | Dermatopolymyositis, unspecified without myopathy |
| M87.050 | Idiopathic aseptic necrosis of pelvis |
| M87.051 | Idiopathic aseptic necrosis of right femur |
| M87.052 | Idiopathic aseptic necrosis of left femur |
| N05.9 | Unspecified nephritic syndrome with unspecified morphologic changes |
| N05.A | Unspecified nephritic syndrome with C3 glomerulonephritis |
| N06.9 | Isolated proteinuria with unspecified morphologic lesion |
| N06.A | Isolated proteinuria with C3 glomerulonephritis |
| N07.9 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions |
| N07.A | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis |
| *N07.B | *Hereditary nephropathy, not elsewhere classified with APOL1-mediated kidney disease [AMKD] |
| N15.9 | Renal tubulo-interstitial disease, unspecified |
| N17.0 | Acute kidney failure with tubular necrosis |
| N17.1 | Acute kidney failure with acute cortical necrosis |
| N17.2 | Acute kidney failure with medullary necrosis |
| N17.8 | Other acute kidney failure |
| N17.9 | Acute kidney failure, unspecified |
| N18.1 | Chronic kidney disease, stage 1 |
| N18.2 | Chronic kidney disease, stage 2 (mild) |

| Code | Description |
|---------|---|
| N18.30 | Chronic kidney disease, stage 3 unspecified |
| N18.31 | Chronic kidney disease, stage 3a |
| N18.32 | Chronic kidney disease, stage 3b |
| N18.4 | Chronic kidney disease, stage 4 (severe) |
| N18.5 | Chronic kidney disease, stage 5 |
| N18.6 | End stage renal disease |
| N25.81 | Secondary hyperparathyroidism of renal origin |
| N25.89 | Other disorders resulting from impaired renal tubular function |
| N34.1 | Nonspecific urethritis |
| N35.016 | Post-traumatic urethral stricture, male, overlapping sites |
| N35.116 | Postinfective urethral stricture, not elsewhere classified, male, overlapping sites |
| O09.A0 | Supervision of pregnancy with history of molar pregnancy, unspecified trimester |
| O09.A1 | Supervision of pregnancy with history of molar pregnancy, first trimester |
| O09.A2 | Supervision of pregnancy with history of molar pregnancy, second trimester |
| O09.A3 | Supervision of pregnancy with history of molar pregnancy, third trimester |
| O11.4 | Pre-existing hypertension with pre-eclampsia, complicating childbirth |
| O11.5 | Pre-existing hypertension with pre-eclampsia, complicating the puerperium |
| O12.04 | Gestational edema, complicating childbirth |
| O12.05 | Gestational edema, complicating the puerperium |
| O12.14 | Gestational proteinuria, complicating childbirth |
| O12.15 | Gestational proteinuria, complicating the puerperium |
| O12.24 | Gestational edema with proteinuria, complicating childbirth |
| O12.25 | Gestational edema with proteinuria, complicating the puerperium |
| O13.4 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth |
| O13.5 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium |
| O14.04 | Mild to moderate pre-eclampsia, complicating childbirth |
| O14.05 | Mild to moderate pre-eclampsia, complicating the puerperium |
| O14.14 | Severe pre-eclampsia complicating childbirth |
| O14.15 | Severe pre-eclampsia, complicating the puerperium |
| O14.24 | HELLP syndrome, complicating childbirth |
| O14.25 | HELLP syndrome, complicating the puerperium |
| O14.94 | Unspecified pre-eclampsia, complicating childbirth |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|--|
| O14.95 | Unspecified pre-eclampsia, complicating the puerperium |
| O16.4 | Unspecified maternal hypertension, complicating childbirth |
| O16.5 | Unspecified maternal hypertension, complicating the puerperium |
| O24.415 | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs |
| O24.425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs |
| O24.435 | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs |
| O44.20 | Partial placenta previa NOS or without hemorrhage, unspecified trimester |
| O44.21 | Partial placenta previa NOS or without hemorrhage, first trimester |
| O44.22 | Partial placenta previa NOS or without hemorrhage, second trimester |
| O44.23 | Partial placenta previa NOS or without hemorrhage, third trimester |
| O44.30 | Partial placenta previa with hemorrhage, unspecified trimester |
| O44.31 | Partial placenta previa with hemorrhage, first trimester |
| O44.32 | Partial placenta previa with hemorrhage, second trimester |
| O44.33 | Partial placenta previa with hemorrhage, third trimester |
| O44.40 | Low lying placenta NOS or without hemorrhage, unspecified trimester |
| O44.41 | Low lying placenta NOS or without hemorrhage, first trimester |
| O44.42 | Low lying placenta NOS or without hemorrhage, second trimester |
| O44.43 | Low lying placenta NOS or without hemorrhage, third trimester |
| O44.50 | Low lying placenta with hemorrhage, unspecified trimester |
| O44.51 | Low lying placenta with hemorrhage, first trimester |
| O44.52 | Low lying placenta with hemorrhage, second trimester |
| O44.53 | Low lying placenta with hemorrhage, third trimester |
| O98.411 | Viral hepatitis complicating pregnancy, first trimester |
| O98.412 | Viral hepatitis complicating pregnancy, second trimester |
| O98.413 | Viral hepatitis complicating pregnancy, third trimester |
| O98.419 | Viral hepatitis complicating pregnancy, unspecified trimester |
| O98.42 | Viral hepatitis complicating childbirth |
| O98.43 | Viral hepatitis complicating the puerperium |
| O98.511 | Other viral diseases complicating pregnancy, first trimester |
| O98.512 | Other viral diseases complicating pregnancy, second trimester |
| O98.513 | Other viral diseases complicating pregnancy, third trimester |
| O98.519 | Other viral diseases complicating pregnancy, unspecified trimester |
| O98.52 | Other viral diseases complicating childbirth |
| O98.53 | Other viral diseases complicating the puerperium |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|--|
| O98.711 | Human immunodeficiency virus [HIV] disease complicating pregnancy, first trimester |
| O98.712 | Human immunodeficiency virus [HIV] disease complicating pregnancy, second trimester |
| O98.713 | Human immunodeficiency virus [HIV] disease complicating pregnancy, third trimester |
| O98.719 | Human immunodeficiency virus [HIV] disease complicating pregnancy, unspecified trimester |
| O98.72 | Human immunodeficiency virus [HIV] disease complicating childbirth |
| O98.73 | Human immunodeficiency virus [HIV] disease complicating the puerperium |
| P04.40 | Newborn affected by maternal use of unspecified drugs of addiction |
| P04.42 | Newborn affected by maternal use of hallucinogens |
| P05.09 | Newborn light for gestational age, 2500 grams and over |
| R04.2 | Hemoptysis |
| R04.81 | Acute idiopathic pulmonary hemorrhage in infants |
| R04.89 | Hemorrhage from other sites in respiratory passages |
| R04.9 | Hemorrhage from respiratory passages, unspecified |
| R05.1 | Acute cough |
| R05.2 | Subacute cough |
| R05.3 | Chronic cough |
| R05.4 | Cough syncope |
| R05.8 | Other specified cough |
| R05.9 | Cough, unspecified |
| R06.02 | Shortness of breath |
| R06.9 | Unspecified abnormalities of breathing |
| R09.3 | Abnormal sputum |
| R19.7 | Diarrhea, unspecified |
| R29.700 | NIHSS score 0 |
| R29.701 | NIHSS score 1 |
| R29.702 | NIHSS score 2 |
| R29.703 | NIHSS score 3 |
| R29.704 | NIHSS score 4 |
| R29.705 | NIHSS score 5 |
| R29.706 | NIHSS score 6 |
| R29.707 | NIHSS score 7 |
| R29.708 | NIHSS score 8 |
| R29.709 | NIHSS score 9 |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| R29.710 | NIHSS score 10 |
| R29.711 | NIHSS score 11 |
| R29.712 | NIHSS score 12 |
| R29.713 | NIHSS score 13 |
| R29.714 | NIHSS score 14 |
| R29.715 | NIHSS score 15 |
| R29.716 | NIHSS score 16 |
| R29.717 | NIHSS score 17 |
| R29.718 | NIHSS score 18 |
| R29.719 | NIHSS score 19 |
| R29.720 | NIHSS score 20 |
| R29.721 | NIHSS score 21 |
| R29.722 | NIHSS score 22 |
| R29.723 | NIHSS score 23 |
| R29.724 | NIHSS score 24 |
| R29.725 | NIHSS score 25 |
| R29.726 | NIHSS score 26 |
| R29.727 | NIHSS score 27 |
| R29.728 | NIHSS score 28 |
| R29.729 | NIHSS score 29 |
| R29.730 | NIHSS score 30 |
| R29.731 | NIHSS score 31 |
| R29.732 | NIHSS score 32 |
| R29.733 | NIHSS score 33 |
| R29.734 | NIHSS score 34 |
| R29.735 | NIHSS score 35 |
| R29.736 | NIHSS score 36 |
| R29.737 | NIHSS score 37 |
| R29.738 | NIHSS score 38 |
| R29.739 | NIHSS score 39 |
| R29.740 | NIHSS score 40 |
| R29.741 | NIHSS score 41 |
| R29.742 | NIHSS score 42 |
| R50.81 | Fever presenting with conditions classified elsewhere |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|--|
| R50.82 | Postprocedural fever |
| R50.83 | Postvaccination fever |
| R50.84 | Febrile nonhemolytic transfusion reaction |
| R50.9 | Fever, unspecified |
| R53.0 | Neoplastic (malignant) related fatigue |
| R53.1 | Weakness |
| R53.81 | Other malaise |
| R53.83 | Other fatigue |
| R59.0 | Localized enlarged lymph nodes |
| R59.1 | Generalized enlarged lymph nodes |
| R59.9 | Enlarged lymph nodes, unspecified |
| R62.50 | Unspecified lack of expected normal physiological development in childhood |
| R62.59 | Other lack of expected normal physiological development in childhood |
| R63.4 | Abnormal weight loss |
| R64 | Cachexia |
| R68.0 | Hypothermia, not associated with low environmental temperature |
| R68.83 | Chills (without fever) |
| R73.03 | Prediabetes |
| R75 | Inconclusive laboratory evidence of human immunodeficiency virus [HIV] |
| Z04.41 | Encounter for examination and observation following alleged adult rape |
| Z04.42 | Encounter for examination and observation following alleged child rape |
| Z05.0 | Observation and evaluation of newborn for suspected cardiac condition ruled out |
| Z05.1 | Observation and evaluation of newborn for suspected infectious condition ruled out |
| Z05.2 | Observation and evaluation of newborn for suspected neurological condition ruled out |
| Z05.3 | Observation and evaluation of newborn for suspected respiratory condition ruled out |
| Z05.41 | Observation and evaluation of newborn for suspected genetic condition ruled out |
| Z05.42 | Observation and evaluation of newborn for suspected metabolic condition ruled out |
| Z05.43 | Observation and evaluation of newborn for suspected immunologic condition ruled out |
| Z05.5 | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out |
| Z05.6 | Observation and evaluation of newborn for suspected genitourinary condition ruled out |
| Z05.71 | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out |
| Z05.72 | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out |
| Z05.73 | Observation and evaluation of newborn for suspected connective tissue condition ruled out |

NCD 190.14

***January 2026 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

January 2026

| Code | Description |
|---------|---|
| Z05.81 | Observation and evaluation of newborn for suspected condition related to home physiologic monitoring device ruled out |
| Z05.89 | Observation and evaluation of newborn for other specified suspected condition ruled out |
| Z05.9 | Observation and evaluation of newborn for unspecified suspected condition ruled out |
| Z19.1 | Hormone sensitive malignancy status |
| Z19.2 | Hormone resistant malignancy status |
| Z20.5 | Contact with and (suspected) exposure to viral hepatitis |
| Z20.6 | Contact with and (suspected) exposure to human immunodeficiency virus [HIV] |
| Z20.820 | Contact with and (suspected) exposure to varicella |
| Z20.821 | Contact with and (suspected) exposure to Zika virus |
| Z20.828 | Contact with and (suspected) exposure to other viral communicable diseases |
| Z31.7 | Encounter for procreative management and counseling for gestational carrier |
| Z84.82 | Family history of sudden infant death syndrome |

Indications

Diagnostic testing to establish HIV infection may be indicated when there is a strong clinical suspicion supported by one or more of the following clinical findings:

1. The patient has a documented, otherwise unexplained, AIDS-defining or AIDS-associated opportunistic infection.
2. The patient has another documented sexually transmitted disease which identifies significant risk of exposure to HIV and the potential for an early or subclinical infection.
3. The patient has documented acute or chronic hepatitis B or C infection that identifies a significant risk of exposure to HIV and the potential for an early or subclinical infection.
4. The patient has a documented AIDS-defining or AIDS-associated neoplasm.
5. The patient has a documented AIDS-associated neurologic disorder or otherwise unexplained dementia.
6. The patient has another documented AIDS-defining clinical condition, or a history of other severe, recurrent, or persistent conditions which suggest an underlying immune deficiency (for example, cutaneous or mucosal disorders).
7. The patient has otherwise unexplained generalized signs and symptoms suggestive of a chronic process with an underlying immune deficiency (for example, fever, weight loss, malaise, fatigue, chronic diarrhea, failure to thrive, chronic cough, hemoptysis, shortness of breath, or lymphadenopathy).
8. The patient has otherwise unexplained laboratory evidence of a chronic disease process with an underlying immune deficiency (for example, anemia, leukopenia, pancytopenia, lymphopenia, or low CD4+ lymphocyte count).

9. The patient has signs and symptoms of acute retroviral syndrome with fever, malaise, lymphadenopathy, and skin rash.
10. The patient has documented exposure to blood or body fluids known to be capable of transmitting HIV (for example, needlesticks and other significant blood exposures) and antiviral therapy is initiated or anticipated to be initiated.
11. The patient is undergoing treatment for rape. (HIV testing is part of the rape treatment protocol.)

Limitations

1. HIV antibody testing in the United States is usually performed using HIV-1 or HIV-1½ combination tests. HIV-2 testing is indicated if clinical circumstances suggest HIV-2 is likely (that is compatible clinical findings and HIV-1 test negative). HIV-2 testing may be indicated in areas of the country where there is greater prevalence of HIV-2 infections.
2. The Western Blot test should be performed only after documentation that the initial EIA tests are repeatedly positive or equivocal on a single sample.
3. The HIV antigen tests currently have no defined diagnostic usage.
4. Direct viral RNA detection may be performed in those situations where serologic testing does not establish a diagnosis but strong clinical suspicion persists (for example, acute retroviral syndrome, nonspecific serologic evidence of HIV, or perinatal HIV infection).
5. If initial serologic tests confirm an HIV infection, repeat testing is not indicated.
6. If initial serologic tests are HIV EIA negative and there is no indication for confirmation of infection by viral RNA detection, the interval prior to retesting is 3-6 months.
7. Testing for evidence of HIV infection using serologic methods may be medically appropriate in situations where there is a risk of exposure to HIV. However, in the absence of a documented AIDS defining or HIV-associated disease, an HIV-associated sign or symptom, or documented exposure to a known HIV-infected source, the testing is considered by Medicare to be screening and thus is not covered by Medicare (for example, history of multiple blood component transfusions, exposure to blood or body fluids not resulting in consideration of therapy, history of transplant, history of illicit drug use, multiple sexual partners, same-sex encounters, prostitution, or contact with prostitutes).
8. The CPT Editorial Panel has issued a number of codes for infectious agent detection by direct antigen or nucleic acid probe techniques that have not yet been developed or are only being used on an investigational basis. Laboratory providers are advised to remain current on FDA-approval status for these tests.

ICD-10-CM Codes That Do Not Support Medical Necessity

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

Documentation Requirements

Appropriate HCPCS/CPT code (s) must be used as described.



Sources of Information

CDC, 1993. Revised classification system for HIV infection and expanded surveillance case definition for AIDS among adolescents and adults. MMWR 41 (No. RR17).

CDC, 1994. Revised classification system for human immunodeficiency virus infection in children less than 13 years of age.

CDC, 1998. Guidelines for treatment of sexually transmitted diseases. MMWR 47 (RR1):11-17.

Piatak, M., M.S. Saag, L.C. Yang, et al. 1993. High levels of HIV-1 in plasma during all stages of infection determined by competitive PCR. Science 259:1749-1754.

Rhame, R.S. 1994. Acquired immunodeficiency syndrome, p. 628-652. In Infectious Diseases; P.D. Hoeprich, M.C. Jordan, and A.R. Ronald (J.B. Lippincott Co., Philadelphia).

Vasudevachari, M.D., R.T. Davey, Jr., J.A. Metcalf, and H.C. Lane. 1997. Principles and procedures of human immunodeficiency virus serodiagnosis. In Manual of Clinical Laboratory Immunology (Fifth ed.); N.R. Rose, E.C. de Macario, J.D. Folds, H.C. Lane, and R.M. Nakamura (ASM Press, Washington, DC).